



# INSTALLATION INSTRUCTIONS

---

## **SERIES 8100 | MULTI SLIDE DOOR SYSTEM POCKET DOOR**



ALL WEATHER<sup>TM</sup>  
ARCHITECTURAL ALUMINUM



## INSTALLATION QUALITY CONTROL

Performing specific quality control procedures is a critical part of completing any All Weather installation. We recommend the installer fill out the quality control sheet and file as a record of correct and complete installation.

Customer: \_\_\_\_\_ Phone: \_\_\_\_\_

Address: \_\_\_\_\_

Installer: \_\_\_\_\_ Phone: \_\_\_\_\_

Where product was purchased: \_\_\_\_\_

Dealer Contact: \_\_\_\_\_

## RECEIVING AND INSPECTING OF PRODUCT

- ☐ Product was checked upon delivery at job site for correctness and was received as ordered
- ☐ Product was checked and free of damage
- ☐ Any damage or incorrectness was reported immediately to All Weather or the dealer where the product was purchased
- ☐ Product was stored in a dry safe place where it could avoid damage
- ☐ Hardware box contents were checked

## PRE-INSTALLATION

- ☐ General Contractor or homeowner has been consulted prior to installation of product
- ☐ Opening is configured correctly, and any squaring or level issues have been identified
- ☐ Appropriate size header has been verified for use in opening
- ☐ If applicable, sill pan with Rear Leg (Back Dam) has been fabricated from appropriate material and locates correctly in the depth of the rough opening
- ☐ Overhangs and other necessary design elements are present where appropriate
- ☐ Local codes and practices are being adhered to regarding installation of product
- ☐ Problems pertaining to existing windows, doors and/or rough openings have been reported to responsible party and have been resolved and documented
- ☐ All safety issues related to unsafe site conditions and hazardous materials have been properly addressed and resolved



## INSTALLATION

- ☐ All installation materials used have been checked for compatibility
- ☐ Weather resistant barrier and flashing were coordinated with contractor or authority on site
- ☐ If Swing Series, correct orientation of system has been identified. Inswing or Outswing.
- ☐ If Slider Series (including Stacking and Pocketing Series), location of operable and non-operable panels has been checked
- ☐ If Bi-Fold Series, panel sequence has been checked from right to left, as seen from exterior
- ☐ Frame has been sealed and joined at all points indicated in instructions
- ☐ Opening checked for correct dimensions
- ☐ Frame is installed at correct depth within the opening
- ☐ Frame has been installed square, level and plumb
- ☐ Plastic shims were utilized under sill when required
- ☐ Jambs were shimmed to prevent rolling
- ☐ Head track installed with the appropriate crown over width of frame
- ☐ Installation holes prepared correctly
- ☐ Sealant was applied to sill installation holes prior to inserting screws & top of screw heads once applied
- ☐ Correct fastener placement has been followed as directed by manufacturer
- ☐ Proper operation and adjustment has been achieved
- ☐ Product was installed as directed by the Manufacturer

## FINAL CHECK OF INSTALLATION

- ☐ Frame has been checked for level, square and plumb
- ☐ All horizontal and vertical adjustments have been made so that proper reveals are present and product is operating as designed
- ☐ Weep holes have been checked and free of obstruction and debris
- ☐ All trash has been discarded
- ☐ All hardware has been installed correctly and checked for proper operation
- ☐ Product has been closed and locked and recommended to not be used as thoroughfare by other trades.
- ☐ Product is protected from damage
- ☐ Final inspection of weather proofing and operation has been performed
- ☐ Job has been turned over to contractor or other responsible party with approval
- ☐ Other \_\_\_\_\_

### IMPORTANT

All Weather recommends that installers return to site and perform a final check of installation. **Namely that the header has not sagged under structure settlement and/or weight and necessary adjustments have been made prior to installation of exterior siding/stucco and interior finishes.**

Where applicable, each of the items checked above have been properly reviewed, verified and completed as part of my field quality control check prior to turning over the job to the responsible party/approving authority.

Installer's Signature: \_\_\_\_\_ Date: \_\_\_\_\_



## THANK YOU FOR PURCHASING FROM ALL WEATHER.

### ALL WEATHER INSTALLATION AND WARRANTY INFORMATION

The following instructions are to be used for All Weather assembly and installation.

Limited warranty varies based on job type. A copy of the limited warranty and the comprehensive care and maintenance guide can be found at [www.allweatheraa.com](http://www.allweatheraa.com).

Failure to follow factory assembly, installation and maintenance instructions will void the manufacturer's limited warranty. All visible defects must be reported before installation and finishing.

These instructions are the property of All Weather Architectural Aluminum and may not be duplicated, altered or distributed for any purpose whatsoever without the express written permission of All Weather.



## THE MOST IMPORTANT CRITERIA FOR A SUCCESSFUL JOB ARE A SQUARE OPENING, A RIGID HEAD AND A CLEAN TRACK.

It is recommended that All Weather doors are installed with at least two people; one person handling the door panels and the other attaching and adjusting hardware.

The installation of your door system requires that the sill, head and jambs are perfectly straight and square. It is recommended that the head be installed with a slight bow upward (amount specified in installation instructions). The sill should be installed flat and straight, ensuring that there is no upward bowing. The frame should be checked for square and twist.

Assembly screws are provided by All Weather. Be sure to clean any metal shavings from the head track to avoid damage to the rollers.

Ensuring your frame is square, plumb, and attached properly to an adequate header will alleviate problems in the future.

Installation of flashing to ensure a proper water seal is the responsibility of the installer. Local codes and building practices should be applied.

All Weather doors require sill pans with rear leg (back dam) and recommends consultation with a water proofing consultant for an adequate drainage system.

### **\*IMPORTANT NOTICE\* – READ PRIOR TO INSTALLATION.**











An All Weather system is a specialty product that you cannot assume to be a standard installation of a typical door or window.

All Weather products should be installed with overhead protection to prevent the effects of sheeting water from above.










We recommend that a professional waterproofing consultant be used to properly integrate our products into the weather barrier of the wall structure.



## PROVIDED ASSEMBLY FASTENERS & PARTS






PART	PICTURE	DESCRIPTION	PURPOSE
1		#10-12 x 3" Square Drive Pan Head Grade 18-8 Type A Point Stainless Steel Sheet Metal Screw	To secure the keeper onto the door jamb and building frame through 4 slotted holes.
2		#8-15 x 1-½" Square Drive Pan Head Grade 18-8 Type A Point Stainless Steel Sheet Metal Screw	To fasten the door frame components together. 8 per track will be needed.
3		#10-16 x 1" Square Pan Head Epoxy Finish #3 Point 410 Stainless Steel Self-Drilling Screw	To secure the pocket closure plate and pocket closure support brackets to the pocket panel.
4		#6-20 x ¾" Phillips Drive Flat Head Zinc Finish #2 Point Steel Self-Drilling Screw	For splicing: to fasten splicing sheet metal plates to head and sill tracks.
5*		#10 x ¾" Square Drive Flat Head 410 SS Self-Drilling Screw (*for panel collector option or staggered track end caps)	To fasten panel collectors to intermediate panels, to fasten track end caps to track faces.
6		.18" x 12" Black Rigid PVC Track Clip	To connect multiple Head, Sill, and Jamb Assemblies together via the Frame connecting grooves.
7		3mm x 30mm Spring Roll Pin	For splicing: to connect multiple head and sill Assemblies together via screw holes.
8		Black PLA Roller Track Connector	For splicing: to connect multiple Head and Sill assemblies together via the frame roller track grooves.
9		Aluminum Splicing Plate (sheet metal)	For splicing: to reinforce splice joint
10		Head Track	To guide the sliding panel, top member of door frame.

## PROVIDED ASSEMBLY FASTENERS & PARTS

PART	PICTURE	DESCRIPTION	PURPOSE
11		Jamb Track	Frame member. To collect panels and provide a seal for panels when in the closed position. The keeper will be mounted on the inside of the jamb.
12A		Sill Track	Frame sill member. To provide a weight bearing member and track for the panel rollers to travel on.
12B		Flush Set Sill Track	Frame sill member option. To provide a weight bearing member and track for rollers to travel on. Designed to sit flush with flooring.
13		3.1" x 1.3" Pocket Wall Profile	This part mounts to the pocket opening on both sides. It provides a location for the pocket interlock to be mounted. It also features a stucco return.
14		2.2" x .4" Pocket Interlock	Prevents pocket panel from bypassing the pocket. Provides a seal for the door when closed.
15		.5" x .3" Weather Strip Holder	This part connects to the pocket interlock to provide a seal when the pocket panel is in the closed position.
16		Keeper	To provide the panel hooks on an active panel channels to lock into, to keep the panel secured into the frame.
17		1.8" x 1.6" Trim Cap	To cover and protect the track pockets on the jambs that will not be used by the panels.
18		.4" x .6" Threshold	To cover and protect the track pockets on the sills that will not be used by the panels.



## PROVIDED ASSEMBLY FASTENERS & PARTS

PART	PICTURE	DESCRIPTION	PURPOSE
19		Pocket Closure Plate (Aluminum, size varies based on door)	This part mounts to the pocket panel on the jamb that travels inside of the pocket. It hides the internal frame and keeps items from going into the pocket in the closed position.
20		Pocket Closure Support Bracket (Aluminum, size varies based on door)	To support and provide rigidity to the pocket closure plate. One will be needed at the top, middle, and bottom of each pocket closure plate.
21*		Panel Collector (*optional add-on)	Designed to not allow panels to bypass one another while opening sliding doors.
22*		Head Track End Cap (*for staggered track doors only)	Designed for aesthetic purposes to cover the exposed head track faces in the location the staggered tracks terminate.
23*		Sill Track End Cap (*for staggered track doors only)	Designed for aesthetic purposes to cover the exposed sill track faces in the location the staggered tracks terminate.



**Note:** Opening should be flashed with the appropriate flashing material to meet industry standards. Please refer to Federal Specification UU-B-790a and AAMA 2400-02.


**Disclaimer:** Each installation job has its unique set of challenges and circumstances. Because of that, the provided set of installation instructions for All Weather Architectural Aluminum products is meant only to serve as a set of standardized guidelines and NOT necessarily a strict manual to follow regardless of situation.

As a professional, it is incumbent upon you and your team to identify instances that do not align with the Installation instruction requirements. All installations must comply with AAMA specifications.


Accordingly, All Weather does not assume responsibility, and disclaims liability for damage, loss, or expense arising from improper use or application of these installation instructions.

## FRAME ASSEMBLY/INSTALLATION

1. The pocket should be open on at least one side until after the door installation is complete.
2. Verify that the rough opening is the correct size to assure the door will fit in the opening.
3. Check to ensure that the floor where the door will be installed is level. If the floor is not level and varies more than  $\frac{1}{16}$ " per foot or a total of  $\frac{1}{4}$ " over the entire width of the opening, correct the floor prior to installation.
4. Remove the frame components from its packaging and lay it out in front of the opening. Note that the notches for a nail-fin goes toward the exterior (Figures 1 & 2 below).
5. For doors with multiple tracks, attach adjacent heads, jambs, and sills (Part #10, #11 #12a/b) using track clips (Part #6). Figures 1 & 2 from step 4 show the junction of standard and flush set sills via track clips. Track clips can be pressed or hammered into place.




6. Splicing is required for doors wider than extrusion stock length. To splice the sill (and Flush Set Sill), insert roll pins (Part #7) halfway into screw channels as shown in Figure 1 & 2. Coat track connectors (Part #8) in sealant (Sealant should conform to AAMA 802.3-16 and 803.3-16) and slide halfway into the roller track. Coat the entire cross-sectional face with sealant as shown in Figure 2 and join the components by tapping one track into the other. Lastly, fasten Splicing Plate (Part #9) over the junction using (Part #4) screws. Screw in the location of the thermal dividers (shown in Figure 2). Splicing plate is not required for a flush set sill. Before screwing the plate to the sill, use a  $\frac{3}{8}$ " countersink bit to create countersinks for the top of the flat head screws to sit flush with the plate.



**FIGURE 1**


7. To splice the head (Figure 3a), insert roll pins (Part #7) into the head screw channels (Figure 1 & 2). Coat the entire cross section in sealant as shown in Figure 2, join components, and ensure track clip (Part #6) crosses over the splice (if multiple track door). Lastly, attach splicing plate (Part #9) over the junction using (Part #4) screws at the thermal breaks. Countersink the plate for the screws beforehand.



**FIGURE 1**


8. It is recommended to remove the pre-installed trim caps (Part #17) from head and jamb tracks before assembling the frame. Prepare frame by applying compatible sealant around the perimeter of both ends of the frame head (Part #10) and sill (Part #12a, 12b for Flush Set Sill). Use the screws (Part #2) provided in the hardware box (use sealant to lubricate screws) and assemble the frame as shown in Figures 1, 2, & 3.

**Note:** Remove Trim Caps (Part #17) from head and jamb tracks before assembling frame






9. Prepare rough opening by checking diagonal dimension of opening to verify square and apply water resistant barrier as shown in Figure 1. Use steps A through D for applying water resistant barrier.
  - A. 12" Sill Wrap (3" wrapped into opening); Overlaps where sill Self-Adhering Sheet Membrane (SASM) will be by 1" (Self-adhered flashing is optional)
  - B. 12" Jamb SASM (3" wrapped into opening), overlaps Sill SASM by 1" and runs 2" beyond header opening
  - C. 6" Header Wrap (3" wrapped into opening), overlaps jamb SASM by 1"
  - D. Sill pan is recommended on all door installs, with the exception of frames with a flush set sill (Part #12b). Consult step 11 for details on securing the sill pan to the opening.




**FIGURE 1**

10. Make sure that each corner joint of the frame has sufficient sealant. Apply additional sealant to the corner joints as necessary to ensure a watertight seal as shown in Figure 1.




**FIGURE 1**

11. For frames with a standard sill (Part # 12a), use step 11 for installing frame. For a flush set sill installation (Part #12b), consult step 12. Apply several continuous beads of sealant across the bottom of the sill pan (enough to cover the entire contact area between sill pan and opening), and shim as needed under the sill pan to ensure level. Insert sill pan into the opening. Next, apply beads of sealant to the underside of the frame's sill, incrementally spaced between the weep channels as shown in Figures 1 & 2. (Sealant should conform to AAMA 802.3-16 and 803.3-16). Insert the frame into the opening and pocket as shown in Figures 2 & 3. Manipulate frame to achieve proper alignment. Shim around jambs and head, as necessary. Make sure the exterior and weeps are not covered with sealant to allow water in the tracks to weep out. After frame is installed, seal all four corners with sealant as shown in Figure 3.







12. For a frame with flush set sill (Part#12b), a sill pan/sealant is not necessary under the sill. Insert frame into the rough opening and shim as needed under the flush set sill to ensure level as shown in Figure 1. Install screws where there are shims. After the frame is installed, seal all four corners with sealant as shown in Figure 2.




13. Secure door frame to the opening using appropriate fasteners. Install screws as shown in Figure 1; spacing to be as shown in Figure 2 where  $A = 12"$  and  $B = 3"$ . Cross measure and use shims as necessary to adjust the door frame so that the door frame is plumb, level and square. Seal all the fasteners with compatible sealant.



14. Apply backer rod and compatible sealant to the interior joint between the frame and the rough opening as shown in Figures 1 & 2.




**FIGURE 1**



**FIGURE 2**

15. Once the frame is installed, install the Pocket Wall Profiles (Part #13) leaving a  $\frac{1}{4}$ " gap between the frame and the pocket wall profile with the pocket interlock (Part #14) as shown in Figure 1. The pocket interlock (Part #14) should not be installed yet. Install screws through the screw races to secure the pocket wall profile. Screws should be spaced every 18".



**FIGURE 1**

## PANEL INSTALLATION

16. If you have a staggered track door, you will need to temporarily remove the head and sill track end caps (Part #22, #23) to avoid clearance issues. For info on removing and installing staggered track end caps, consult Appendix A. Install the interior panel into the second closest track and slide it into the pocket halfway. You may use a putty knife or similar thereof to help lift the rollers over the tracks. Once in position, move panel to the interior track. Then install remaining panels so that the interlocks overlap correctly, per Figures 1 & 2.



FIGURE 1




FIGURE 2

17. Temporarily adjust the sliding panels upward by lifting the panel and turning the adjustment screw shown in Figure 1 clockwise as shown in Figure 2 until the rollers regain contact with the track. It is important to physically lift the panel while adjusting upward so that the adjustment screw does not strip due to the weight of the panel. Adjust the rollers of the active panels by turning the adjustment screw shown in Figure 1 to achieve proper alignment of the door panels (it is easier to adjust down than up). Turn screw clockwise to raise the panel and counterclockwise to lower the panel as shown in Figure 2.




FIGURE 1





FIGURE 2



18. Once all panels are installed and adjusted, affix pocket closure plate (Part #19) and pocket closure support brackets (Part #20) to the pocket panel as shown in Figure 1. The plate and support bracket generally should be in line with the horizontal cut on the top of the pocket panel interlock as shown in Figure 2, however the roller adjustment will dictate the final positioning of the pocket closure plate. The pocket closure plate runs the span of the pocket panel and should hide the interior of the pocket while the door is closed. The pocket closure support brackets should be positioned at the top, middle, and bottom of the panel. Use screws (Part #3) every 12 inches down the vertical stile of the pocket closure plate and use 2 screws through the pre-drilled holes in each pocket closure support bracket.




**FIGURE 1**


**FIGURE 2**

19. Now install the pocket interlock (Part #14) using the steps and Figures 1 & 2 below:

1. After the rollers have been adjusted, push the panel into the pocket and install the pocket interlock (Part #14) by snapping in starting with inserting the side with the hook.
2. Next, press the pocket interlock (Part #14) in place as shown in Figure 1.
3. Lastly, press the weather strip holder (Part #15) into the pocket interlock.




If the pocket panel needs to be removed, pull the weather strip holder off the pocket interlock and remove the pocket interlock with a flathead screwdriver as shown in Figure 3 starting from the top or bottom.



## KEEPER INSTALLATION


20. After the final roller adjustments, install the keeper (Part #16) into the lock side jamb (Part #11) by aligning with the lockset hooks on the panel and marking the location of the keeper's four screw holes onto the jamb. Next, pre-drill holes in the jamb at the marked locations using a  $\frac{1}{8}$ " -  $\frac{3}{16}$ " drill bit. Lastly, fasten the keeper to the jamb with screws (Part #1) as shown in Figure 1 (use sealant to lubricate screws). After the keeper has been installed, adjust the throw on the hooks of the lockset to ensure a tight fit when the door is closed and locked by turning the adjustment screw located between the hooks shown in Figure 2.





## TRIM CAP AND THRESHOLD RE-INSTALLATION

### FOR PXX AND XXP DOORS FOLLOW STEPS 21-22.

21. Take the longest trim cap pieces (Part #17) and install into the exterior jamb track (Part #11) of the operable side shown in Figure 1 and interior jamb track of the fixed side as shown in Figure 2.





22. Install the threshold (Part #18) into the exterior sill track (Part #12a) shown in Figure 1 and install the smallest trim cap (Part #17) into the head exterior track (Part #10) shown in Figure 2.





**FOR PXXXXP DOORS FOLLOW STEPS 23-24.**

23. Install thresholds (Part #18) into the exterior sill track (Part #12a) shown in Figure 1 then install the trim cap (Part #17) that is the same length as the threshold into the exterior head track (Part #10) shown in Figure 2.





**FOR PXXX OR XXXP DOORS FOLLOW STEPS 24-25.**

24. Install the longest trim cap pieces (Part #17) into the exterior and center jamb tracks (Part #11) on the operable side as shown in Figure 1 then install the other two trim caps that are the same length into the interior and center jamb tracks shown in Figure 2.




25. Install thresholds (Part #18) into the exterior and center sill tracks (Part #12a) shown in Figure 1 and the trim cap (Part # 17) of the same length into the exterior and center head tracks (Part #10) shown in Figure 2.






## PANEL COLLECTOR INSTALLATION (OPTION)

26. Install panel collector (Part #21) on the first intermediate panel using the pre-drilled holes and screws (Part #5) as shown in Figure 1. If more than one panel collector is necessary for your configuration (4 panels or more), install remaining panel collectors one at a time and ensure proper alignment as shown in Figure 2.



**FIGURE 1**



**FIGURE 2**



## APPENDIX A:

### TRACK END CAP REMOVAL AND INSTALLATION (FOR STAGGERED TRACK DOORS ONLY)

For staggered track doors only, assemblies come with sill and head track end caps attached (Part #22, #23). These are designed for aesthetic purposes to cover the exposed head and sill track faces in the location where the staggered tracks terminate. To remove the end caps for panel installation, simply remove the screws (Part #5) from the head or sill screw channels and remove the caps. When reattaching after panel installation, the track faces should be coated in sealant, and the end cap screwed back onto the face via screw channels as shown in Figures 1 & 2.

