

SAFETY DATA SHEET**H.B. Fuller® HL-5153A**

Version 1.2

Revision Date 12/30/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® HL-5153A
Product code : 100000002004

Manufacturer or supplier's details

Company : H.B. Fuller Company

Address : 1200 Willow Lake Boulevard
Vadnais Heights, MN 55110

Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Hot melt moisture cure adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Appearance	Solid form
Color	black
Odor	Neutral

GHS Classification

Acute toxicity (Oral) : Category 4
Skin irritation : Category 2
Eye irritation : Category 2A
Respiratory sensitization : Category 1
Skin sensitization : Category 1
Carcinogenicity : Category 2
Specific target organ systemic toxicity - repeated exposure : Category 2

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements:

H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction.

SAFETY DATA SHEET

H.B. Fuller® HL-5153A

Version 1.2

Revision Date 12/30/2015

H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements:

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection.

Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Inhalation : Vapors/fumes may be irritating at application temperatures.

Skin : Contact with hot product will cause thermal burns.

Aggravated Medical Condition : None known.

Carcinogenicity:
IARC

Group 2B: Possibly carcinogenic to humans. During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

OSHA

Carbon black 1333-86-4
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]
Talc Non-Fibrous	14807-96-6	20 - 30
Proprietary MDI-based prepolymer	Not Assigned	10 - 20
4,4'-methylenediphenyl diisocyanate	101-68-8	1 - 5
Carbon black	1333-86-4	0.1 - 1

SAFETY DATA SHEET**H.B. Fuller® HL-5153A**

Version 1.2

Revision Date 12/30/2015

1,3,5-tris[3-(trimethoxysilyl)propyl]-1,3,5-triazine-
2,4,6(1H,3H,5H)-trione

26115-70-8

0.1 - 1

SECTION 4. FIRST AID MEASURES

- General advice : Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
Cool melted product on skin with plenty of water. Do not remove solidified product.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.
- Notes to physician : Use mineral oil to soften and loosen product for removal.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : Do NOT use water jet.
- Specific hazards during fire fighting : Burning produces irritant fumes.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Methods and materials for containment and cleaning up : Allow to solidify.
Scrape up.
Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special precautions are needed in handling this material.

SAFETY DATA SHEET**H.B. Fuller® HL-5153A**

Version 1.2

Revision Date 12/30/2015

Avoid breathing vapors/fumes of heated product. Prevent contact with molten product.

Conditions for safe storage : Keep in a dry, cool place.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

-

Engineering measures : At the application temperature, use of local exhaust over the premelting reservoir is encouraged.**Personal protective equipment**

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Nitrile rubber

Remarks : When handling hot material, use heat resistant gloves.

Eye protection : Safety glasses

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid form
Color : black
Odor : Neutral
Odor Threshold : No data available
pH : Not applicable
Boiling point/boiling range : not determined
Flash point : Not applicable
Evaporation rate : not determined
Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : upper flammability limit
not determinedLower explosion limit : lower flammability limit
not determined

Vapor pressure : not determined

**SAFETY DATA SHEET****H.B. Fuller® HL-5153A**

Version 1.2

Revision Date 12/30/2015

Relative vapor density	: not determined
Density	: 9.6 lb/gal
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: not determined
Thermal decomposition	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Viscosity	
Viscosity, kinematic	: Not applicable
Solid Content, % by weight:	: 100

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.
Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Hazardous decomposition products	: In case of incomplete combustion an increased formation of oxides of nitrogen (NOx) is to be expected. Thermal decomposition can lead to release of irritating gases and vapors. Humid air and/or water will produce carbon dioxide which will pressurize the container. Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity	: Acute toxicity estimate : 580 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 5.41 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

Ingredients:



SAFETY DATA SHEET

H.B. Fuller® HL-5153A

Version 1.2

Revision Date 12/30/2015

4,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity : LC50 : 1.5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available



SAFETY DATA SHEET

H.B. Fuller® HL-5153A

Version 1.2

Revision Date 12/30/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of in an approved landfill. Consult your state, local or provincial authorities and your local waste vendor for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Remarks : Not dangerous goods

Domestic regulation

International Regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-methylenediphenyl diisocyanate 101-68-8

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

4,4'-methylenediphenyl diisocyanate 101-68-8

SAFETY DATA SHEET
H.B. Fuller® HL-5153A

Version 1.2

Revision Date 12/30/2015

US State Regulations
California Prop 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

Carbon black


1333-86-4

The ingredients of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL.
REACH	On the inventory, or in compliance with the inventory
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
TWINV	Not in compliance with the inventory
Inventories Legend TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)	

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information
NFPA:

HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller



H.B. Fuller

Print Date 05/18/2016

Page 9 of 9

SAFETY DATA SHEET

H.B. Fuller® HL-5153A

Version 1.2

Revision Date 12/30/2015

Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.